

SPECIAL PROCEDURES SUBMISSION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re **PATENT** application of:

Applicant(s): Stewart E. HOOPER et al.

Serial No: 10/079,269

Filing Date: February 19, 2002

Title: METHOD OF GROWING A SEMICONDUCTOR MULTI-LAYER
STRUCTURE

Examiner: Robert M. Kunemund

Art Unit: 1765

Docket No. YAMAP0800US

Attention: **Office of Petitions**
Ms. Sherri Brinkley

**URGENT ACTION REQUESTED –
PATENT MAY ISSUE AS SOON AS SEPTEMBER 7, 2004**

**PETITION UNDER 37 CFR 1.313(c) TO WITHDRAW
APPLICATION FROM ISSUE – ISSUE FEE PAID**

MS 313(c)
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Via facsimile (12 pages total)
703-305-4257

Sir:

Petition hereby is made to withdraw the above-referenced application from issue.
The Office is hereby authorized to charge the fees for this petition to Deposit Account
No. 18-0988.

Application No. 10/079,269


The reason for withdrawal is to permit the filing of a request for continued examination (RCE) to obtain consideration of an Information Disclosure Statement. An RCE is being submitted by facsimile herewith along with a submission (the IDS) as required under 37 CFR 1.114.

Please fax confirmation of the filing of the RCE application to 216-621-6165.

Favorable action on this petition is earnestly solicited. The undersigned would appreciate receiving a telephone call upon granting of the petition.

Respectfully submitted,

By _____



Mark D. Saralino
Reg. No. 34,243

RENNER, OTTO, BOISSELLE & SKLAR, LLP
1621 Euclid Avenue
Nineteenth Floor
Cleveland, Ohio 44115
Tel: (216) 621-1113
Fax: (216) 621-6165

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this Petition and the accompanying Request for Continued Examination (and any other paper referred to as being attached or enclosed) is being transmitted by facsimile to the U.S. Patent and Trademark Office at telephone number 703-305-4267 on the date set forth below.

Date: September 3, 2004


Mark D. Saralino

C:\GEN\YAMAI\YAMAP800\yamap800.wdlsue.wpd